Author Index

ABRASS C.K. & HORI M.T. Alterations in plasma clearance and tissue localization of model immune complexes in rats with streptozotocin-induced diabetes, 331
ADLER F.L. *see* CLAASSEN E.
ADLER L.T. *see* CLAASSEN E.
AGUADO M.T. & MANNIK M. Clearance kinetics and organ uptake of complement-solubilized immune complexes in mice, 255
ALLANSMITH M.R. *see* SULLIVAN D.A.
ALLAVENA P. *see* WANG J.M.
AOKI I. *see* IKEZAWA Z.
AOKI N. & OHNO Y. Enhancement of the B-cell response to *Staphylococcus aureus* Cowan strain 1 by natural human gamma interferon, 51
ARAKAWA Y. *see* OHTA M.
ASADA M. *see* KOBAYASHI Y.
ASHERSON G.L. *see* MALKOVSKÝ M.
ASSANAH P. *see* GHONEUM M.
AUFFRAY C. *see* MARIOTTI M.
AUTRAN B., TRIEBEL F., VIGUIER M., JOLIVET M., FALMAGNE P. & DEBRE P. Monoclonal B-cell response to diphtheria toxoid: evidence for cross-reactive epitopes, 531

BACKMAN K. *see* JONSSON R.
BAIRD J.D. *see* VAREY A.-M.
DE LA BARRERA S. *see* SASIAIN M. DEL C.
BARTHOLOMAEUS W.N., SWANSON N.R., REED W.D., O'DONOGHUE H.L., FOTI D. & PAPADIMITRIOU J.M. The relationship between liver-specific lipoprotein and the hepatocyte plasma membrane, 321
BATES E.J. *see* FERRANTE A.
BEATTY P.G. *see* LINDQVIST C.
BELL E.B. *see* KIMBER I.
BELL E.B. *see* MARSHALL J.S.
BELLAVIA A. & MICKLEM H.S. Influence of reserpine on *in vivo* localization of injected lymph node cells in the mouse, 239
VON BELOW G. *see* JUNGI T.W.
BELTZ L.A. & KIERSZENBAUM F. Suppression of human lymphocyte responses by *Trypanosoma cruzi*, 309
BENSON M.T., BUCKLEY G., JENKINSON E.J. & OWEN J.J.T. Survival of deoxyguanosine-treated fetal thymus allografts is prevented by priming with dendritic cells, 593
BETTMANN R. *see* DEGWERT J.
BIRD R.A. *see* SWEET C.
BLACKWELL J.M. *see* WOZENCRAFT A.O.
DE BOER M. *see* YAZDANBAKHSH M.
BONE A.J. *see* VAREY A.-M.
BOWES M.A. & KENNY A.J. An immunohistochemical study of endopeptidase-24.11 and aminopeptidase N in lymphoid tissues, 247
VAN BOXTEL-OOSTERHOF F. *see* TIEBOUT R.F.
DE BRACCO M.M. DE E. *see* SASIAIN M. DEL C.
BRITTEN D. *see* HOLT P.G.
BROCCHI E. *see* MCCULLOUGH K.C.
BROWN J.F. *see* CZUPRYNSKI C.J.
BUCHMEIER M.J. *see* TALBOT P.J.
BUCKLEY G. *see* BENSON M.T.

CALVERT J.E., PROCTOR S.J. & JEFFERIS R. Activation of B chronic lymphocytic leukaemia cells by *Branhamella catarrhalis*, 45
CAMPBELL A.K. *see* PATEL A.K.
CARDAMA J.E. *see* SASIAIN M. DEL C.
CARON J.A. *see* GRIFFITHS B.W.
CARPENTER W.C. *see* MCCULLOUGH K.C.
CHALLACOMBE S.J., GREENALL C. & STOKER T.A.M. A comparison of IgA in portal and peripheral venous blood, 111
CHAMPION B.R. *see* RAYNER D.C.
CHATURVEDI U.C. *see* MATHUR A.
CHRISTIE J.F., GALLAGHER C. & STIMSON W.H. The human bladder carcinoma line T-24 secretes a human B-cell differentiation factor, 467
CHRISTIE J.F. *see* GALLAGHER G.
CLAASSEN E., ADLER L.T., SAITO K., YOSHIO T. & ADLER F.L. Functional and histological studies of adoptive immunity in neonatally transplanted rabbits, 37
CLAASSEN E., KORS N. & VAN ROOIJEN N. Immunomodulation with liposomes: the immune response elicited by liposomes with entrapped dichloromethylene-diphosphonate and surface-associated antigen or hapten, 509
COATES D.M. *see* SWEET C.
COCKCROFT S., LAMB J.R. & ZANDERS E.D. Inositol lipid metabolism in human T lymphocytes activated via the T3 complex, 209
COLELLA S. *see* WANG J.M.
COOKE A. *see* VAREY A.-M.
CROWTHER J.R. *see* MCCULLOUGH K.C.
CZUPRYNSKI C.J. & BROWN J.F. Dual regulation of anti-bacterial resistance and inflammatory neutrophil and macrophage accumulation by L3T4$^+$ and Lyt 2$^+$ *Listeria*-immune T cells, 287

DEAN B.M. *see* VAREY A.-M.
DEAN C.J. *see* DUNN P.L.
DEBRE P. *see* AUTRAN B.
DEGWERT J., BETTMANN R., HEUER J. & KÖLSCH E. Isolation of a bovine serum albumin-specific T-suppressor cell clone and evaluation of its *in vitro* functions, 345
DELESPESSE G., SARFATI M. & RUBIO-TRUJILLO M. *In vitro* production of IgE-binding factors by human mononuclear cells, 103
DELESPESSE G. *see* SARFATI M.
DELVES P.J. *see* RAYNER D.C.
DE SIMONE F. *see* MCCULLOUGH K.C.
DEWAR A.E. *see* GALLAGHER G.
DIGIACOMO A. & NORTH R.J. Subtherapeutic numbers of tumour-sensitized, L3T4$^+$, Ly 1$^+$2$^-$ T cells are needed for endotoxin to cause regression of an established immunogenic tumour, 367
DINARELLO C.A. *see* GAULDIE J.
DOBSON N. *see* REES A.D.M.
DUNN P.L., JOHNSON C.A., STYLES J.M., PEASE S.S. & DEAN C.J. Vaccination with syngeneic monoclonal anti-idiotype protects against a tumour challenge, 181

ECKMANN C.M. *see* YAZDANBAKHSH M.
EPPLEN J. *see* SIMON M.M.
EWALD S.J. *see* SMALL R.M.

FALMAGNE P. *see* AUTRAN B.
FALUS A. & MERETEY K. Effect of histamine on the gene expression and biosynthesis of complement components C2, factor B and C3 in mouse peritoneal macrophages, 547
FERGUSON A. *see* STROBEL S.
FERRANTE A., NANDOSKAR M., BATES E.J. & GOH D.H.B. *Staphylococcus aureus*-stimulated human mononuclear leucocyte-conditioned medium augments the basal and stimuli-induced neutrophil respiratory burst and degranulation, 431
FORD W.L. *see* KIMBER I.
FOSSUM S. *see* ROLSTAD B.
FOTI D. *see* BARTHOLOMAEUS W.N.
FRANCIS G.E. *see* MIRE-SLUIS A.R.
FROST H. *see* SARFATI M.
FRUTH U. *see* SIMON M.M.

FUJII Y. *see* OHTA M.
FUJIMOTO H. *see* IMAMURA M.
FUKUHARA T. *see* IMAMURA M.

GALLAGHER G., CHRISTIE J.F., STIMSON W.H., GUY K. & DEWAR A.E. T-24.B-cell differentiation factor induces immunoglobulin secretion in human B cells without prior cell replication, 523
GALLAGHER G. *see* CHRISTIE J.F.
GATTI J.C. *see* SASIAIN M. DEL C.
GAULDIE J., SAUDER D.N., MCADAM K.P.W.J. & DINARELLO C.A. Purified interleukin-1 (IL-1) from human monocytes stimulates acute-phase protein synthesis by rodent hepatocytes *in vitro*, 203
GHONEUM M., GILL G., ASSANAH P. & STEVENS W. Susceptibility of natural killer cell activity of old rats to stress, 461
GIBSON S. *see* MCMENAMIN C.
GILL G. *see* GHONEUM M.
GILMORE N. *see* WAINBERG M.A.
GODARD A. *see* GRIFFITHS B.W.
GODDEERIS B.M. & MORRISON W.I. The bovine autologous *Theileria* mixed leucocyte reaction: influence of monocytes and phenotype of the parasitized stimulator cell on proliferation and parasite specificity, 63
GOH D.H.B. *see* FERRANTE A.
GORDON D.L., JOHNSON G.M. & HOSTETTER M.K. Characteristics of iC3b binding to human polymorphonuclear leucocytes, 553
GORDON J., WEBB A.J., GUY G.R. & WALKER L. Triggering of B lymphocytes through CD23: epitope mapping and studies using antibody derivatives indicate an allosteric mechanism of signalling, 517
GORDON S. *see* STARKEY P.M.
GREENALL C. *see* CHALLACOMBE S.J.
GRENCIS R.K. *see* MOQBEL R.
GRIFFITHS B.W., GODARD A., CARON J.A. & TOSTOWARYK W. The role of isotype and epitope specificity of monoclonal antibody mixtures in immunodiffusion reactions, 491
GRUHN R. *see* JAKUBOWSKI A.
GUY G.R. *see* GORDON J.
GUY K. *see* GALLAGHER G.

HAIG D.M. *see* MCMENAMIN C.
HARVEY W., KAMIN S., MEGHJI S. & WILSON M. Interleukin-1-like activity in capsular material from *Haemophilus actinomycetemcomitans*, 415
HASEGAWA T. *see* OHTA M.
HATTORI Y. & SIRAGANIAN R.P. Rapid phosphorylation of a 92,000 MW protein on activation of rat basophilic leukaemia cells for histamine release, 573
HEISKALA M. Effect of interferons on the inhibition of human natural killers by primary monolayer cell cultures, 167
HEUER J. *see* DEGWERT J.
HIGGINS A. *see* WILKINSON P.C.
HILGERS L.A.T., SNIPPE H., JANSZE M. & WILLERS J.M.N. Synthetic sulpholipopolysaccharides: novel adjuvants for humoral immune responses, 141
HINUMA S., NARUO K., OOTSU K., HOUKAN T., SHIHO O. & TSUKAMOTO K. Suppression of pulmonary tumour metastasis in mice by recombinant human interleukin-2: role of asialo GM1-positive cells, 173
HOFFBRAND A.V. *see* MIRE-SLUIS A.R.
HOLMDAHL R. *see* JONSSON R.
HOLT P.G., BRITTEN D. & SEDGWICK J.D. Suppression of IgE responses by antigen inhalation: studies on the role of genetic and environmental factors, 97
HONG R. *see* NISHIKAWA M.
HORI M.T. *see* ABRASS C.K.
HOSTETTER M.K. *see* GORDON D.L.
HOUKAN T. *see* HINUMA S.
HOWIE S.E.M., ROSS J.A., NORVAL M. & MAINGAY J.P. *In vivo* modulation of antigen presentation generates Ts rather than T_{DH} in HSV-1 infection, 419
HUGHES C.C.W. *see* MALE D.K.

IKEZAWA Z., SATO M. & AOKI I. A role of L3T4 in the Con A response of regenerating splenic L3T4$^+$ T cells after Cy treatment, 375
IMAMURA M., FUJIMOTO H., FUKUHARA T., KOBAYASHI M., KASAI M., SAKURADA K. & MIYAZAKI T. Characterization studies of suppressor cells in murine bone marrow chimaeras, 29
INCHLEY C.J. The contribution of B-cell proliferation to spleen enlargement in *Babesia microti*-infected mice, 57
ISHIDA E. *see* ITO M.
ITO H. *see* OHTA M.
ITO M., ISHIDA E., TANABE F., SHIGETA S., WATANABE Y. & KAWADE Y. Interferon-α enhances the production of leukotriene B_4 in murine peritoneal macrophages stimulated by opsonized zymosan, 617
IVANYI J. *see* REES A.D.M.

JAKEMAN K. *see* SWEET C.
JAKUBOWSKI A., WICHER V., GRUHN R. & WICHER K. Natural antibodies to treponemal antigens in four strains of guinea-pigs, 281
JANSZE M. *see* HILGERS L.A.T.
JEFFERIS R. *see* CALVERT J.E.
JENKINSON E.J. *see* BENSON M.T.
JÍRA M. *see* MALKOVSKÝ M.
JOHNSON C.A. *see* DUNN P.L.
JOHNSON G.M. *see* GORDON D.L.
JOHNSON T.R. & NORTH R.J. Frequency analysis of augmented CTL production associated with *Corynebacterium parvum*-induced tumour regression, 361
JOLIVET M. *see* AUTRAN B.
JONJIĆ N., JONJIĆ S., SAALMÜLLER A., RUKAVINA D. & KOSZINOWSKI U.H. Distribution of T-lymphocyte subsets in porcine lymphoid tissues, 395
JONJIĆ S. *see* JONJIĆ N.
JONSSON R., TARKOWSKI A., BÄCKMAN K., HOLMDAHL R. & KLARESKOG L. Sialadentis in the MRL/1 mouse: morphological and immunohistochemical characterization of resident and infiltrating cells, 611
JUNGI T.W., VON BELOW G., LERCH P.G. & SPAETH P.J. Modulation of human monocyte Fc receptor function by surface-adsorbed IgG, 261

KAMIN S. *see* HARVEY W.
KAROUNOS D.G. & PISETSKY D.S. Specificity analysis of monoclonal anti-DNA antibodies, 497
KASAI M. *see* IMAMURA M.
KATO N. *see* OHTA M.
KAWADE Y. *see* ITO M.
KAWANISHI H. Immunocompetence of normal human appendiceal lymphoid cells: *in vitro* studies, 19
KAY A.B. *see* MOQBEL R.
KENNY A.J. *see* BOWES M.A.
KERLIN R.L. & WATSON D.L. The secondary immune response to *Staphylococcus aureus* vaccines in efferent popliteal lymph of sheep, 295
KIDO N. *see* OHTA M.
KIERSZENBAUM F. *see* BELTZ L.A.
KILCCHERR E. *see* SARFATI M.
KIMBER I., SPARSHOTT S.M., BELL E.B. & FORD W.L. The effects of interferon on the recirculation of lymphocytes in the rat, 585
KING S.J. *see* MOQBEL R.
KLARESKOG L. *see* JONSSON R.
KOBAYASHI M. *see* IMAMURA M.
KOBAYASHI Y., ASADA M. & OSAWA T. Production of lymphotoxin and tumour necrosis factor by a T-cell hybridoma, 213
KÖLSCH E. *see* DEGWERT J.
KOMATSU T. *see* OHTA M.
KORS N. *see* CLAASSEN E.
KOSZINOWSKI U.H. *see* JONJIĆ N.
KRAMER M.D. *see* SIMON M.M.
KROESE F.G.M., WUBBENA A.S., KUIJPERS K.C. & NIEUWENHUIS P. The ontogeny of germinal centre forming capacity of neonatal rat spleen, 597
KUIJPERS K.C. *see* KROESE F.G.M.
KULSHRESHTHA R. *see* MATHUR A.

LAMB J.R. & YOUNG D.B. A novel approach to the identification of T-cell epitopes in *Mycobacterium tuberculosis* using human T-lymphocyte clones, 1
LAMB J.R. *see* COCKCROFT S.
LAMB J.R. *see* REES A.D.M.
LERCH P.G. *see* JUNGI T.W.

LINDQVIST C., PATARROYO M., BEATTY P.G. & WIGZELL H. A monoclonal antibody inhibiting leucocyte adhesion blocks induction of IL-2 production but not IL-2 receptor expression, 597
LOVELAND B. *see* MALKOVSKÝ M.
VAN LOVEREN H. *see* PARMENTIER H.K.
LUCOTTE G. *see* MARIOTTI M.

MCADAM K.P.W.J. *see* GAULDIE J.
MCCULLOUGH K.C., SMALE C.J., CARPENTER W.C., CROWTHER J.R., BROCCHI E. & DE SIMONE F. Conformational alteration in foot-and-mouth disease virus virion capsid structure after complexing with monospecific antibody, 75
MACDONALD A.J. *see* MOQBEL R.
MCGUIRE J. & SANDILANDS G.P. Spontaneous release of Fcγ receptors from normal human peripheral blood lymphocytes *in vitro*, 403
MCMENAMIN C., HAIG D.M., GIBSON S., NEWLANDS G.F.J. & MILLER H.R.P. Phenotypic analysis of mast cell granule proteinases in normal rat bone marrow cultures, 147
MADAR J. *see* MALKOVSKÝ M.
MAINGAY J.P. *see* HOWIE S.E.M.
MALE D.K., PRYCE G. & HUGHES C.C.W. Antigen presentation in brain: MHC induction on brain endothelium and astrocytes compared, 453
MALKOVSKA V. *see* MALKOVSKÝ M.
MALKOVSKÝ M., JÍRA M., MADAR J., MALKOVSKA V., LOVELAND B. & ASHERSON G.L. Generation of lymphokine-activated killer cells does not require DNA synthesis, 471
MANNIK M. *see* AGUADO M.T.
MANTOVANI A. *see* WANG J.M.
MARIOTTI M., AUFFRAY C. & LUCOTTE G. DNA polymorphisms associated with HLA-B-like genes and evidence for a duplication of B40 genes detected with an HLA-B-specific DNA probe, 475
MARSHALL J.S., WELLS P.D. & BELL E.B. Accelerated elimination of *N. brasiliensis* from the small intestine after auto-anti-IgE induction, 303
MATHIE I.H. *see* THOMSON A.W.
MATHUR A., KULSHRESHTHA R. & CHATURVEDI U.C. Induction of secondary immune response by reactivated Japanese encephalitis virus in latently infected mice, 481
MATHUR A., KULSHRESHTHA R., RAWAT S. & CHATURVEDI U.C. Memory suppressor T cells in latent Japanese encephalitis virus infection, 71
VAN DER MEER W.G.J. *see* TIEBOUT R.F.
MEGHJI S. *see* HARVEY W.
MERETEY K. *see* FALUS A.
MICKLEM H.S. *see* BELLAVIA A.
MILLER H.R.P. *see* MCMENAMIN C.
MIRE-SLUIS A.R., WICKREMASINGHE R.G., HOFFBRAND A.V., TIMMS A.M. & FRANCIS G.E. Human T lymphocytes stimulated by phytohaemagglutinin undergo a single round of cell division without a requirement for interleukin-2 or accessory cells, 7
MIYAZAKI T. *see* IMAMURA M.
MOQBEL R., WAKELIN D., MACDONALD A.J., KING S.J., GRENCIS R.K. & KAY A.B. Release of leukotrienes during rapid expulsion of *Trichinella spiralis* from immune rats, 425
MORRISON W.I. *see* GODDEERIS B.M.
MÜLLER-HERMELINK H.K. *see* SIMON M.M.

NAKAJIMA T. *see* SARFATI M.
NANDOSKAR M. *see* FERRANTE A.
NARUO K. *see* HINUMA S.
NEWLANDS G.F.J. *see* MCMENAMIN C.
NIEUWENHUIS P. *see* KROESE F.G.M.
NISHIKAWA M. & HONG R. Effect on IgE production of transplanted cultured thymic fragments, 91
NORTH R.J. *see* DIGIACOMO A.
NORTH R.J. *see* JOHNSON T.R.
NORVAL M. *see* HOWIE S.E.M.

O'DONOGHUE H.L. *see* BARTHOLOMAEUS W.N.
OHNO Y. *see* AOKI N.
OHTA M., KIDO N., HASEGAWA T., ITO H., FUJII Y., ARAKAWA Y., KOMATSU T. & KATO N. Contribution of the mannan O side-chains to the adjuvant action of lipopolysaccharides, 503
OOTSU K. *see* HINUMA S.
OSAWA T. *see* KOBAYASHI Y.
OWEN J.J.T. *see* BENSON M.T.

PAPADIMITRIOU J.M. *see* BARTHOLOMAEUS W.N.
PARMENTIER H.K., TEPPEMA J.S., VAN LOVEREN H., TAS J. & RUITENBERG E.J. Effect of a *Trichinella spiralis* infection on the distribution of mast cell precursors in tissues of thymus-bearing and non-thymus-bearing (nude) mice determined by an *in vitro* assay, 565
PATARROYO M. *see* LINDQVIST C.
PATEL A.K. & CAMPBELL A.K. The membrane attack complex of complement induces permeability changes via thresholds in individual cells, 135
PEASE S.S. *see* DUNN P.L.
PETTY H.R. Specific inhibition of macrophage antibody-dependent endocytosis by *p*-chloromercuribenzenesulphonic acid: identification of sensitive membrane proteins, 269
PISETSKY D.S. *see* KAROUNOS D.G.
POPPEMA S. *see* TIMENS W.
PORTNOY J. *see* WAINBERG M.A.
PRAPUTPITTAYA K. *see* REES A.D.M.
PROCTOR S.J. *see* CALVERT J.E.
PRYCE G. *see* MALE D.K.

RAWAT S. *see* MATHUR A.
RAYNER D.C., DELVES P.J., WARREN D., ROITT I.M. & CHAMPION B.R. T-cell hybridomas specific for self and foreign thyroglobulins, 231
READING C.L. *see* ROOME A.J.
REED W.D. *see* BARTHOLOMAEUS W.N.
REES A.D.M., PRAPUTPITTAYA K., SCOGING A., DOBSON N., IVANYI J., YOUNG D. & LAMB J.R. T-cell activation by anti-idiotypic antibody: evidence for the internal image, 389
ROITT I.M. *see* RAYNER D.C.
ROLSTAD B. & FOSSUM S. Allogeneic lymphocyte cytotoxicity (ALC) in rats: establishment of an *in vitro* assay, and direct evidence that cells with natural killer (NK) activity are involved in ALC, 151
VAN ROOIJEN N. *see* CLAASSEN E.
ROOME A.J. & READING C.L. Frequency of B-lymphocyte transformation by Epstein–Barr virus decreases with entry into the cell cycle, 195
ROOS D. *see* YAZDANBAKHSH M.
ROSS J.A. *see* HOWIE S.E.M.
ROZEBOOM T. *see* TIMENS W.
RUBIO-TRUJILLO M. *see* DELESPESSE G.
RUIBAL-ARES B. *see* SASIAIN M. DEL C.
RUITENBERG E.J. *see* PARMENTIER H.K.
RUKAVINA D. *see* JONJIĆ N.

SAALMÜLLER A. *see* JONJIĆ N.
SAITO K. *see* CLAASSEN E.
SAKURADA K. *see* IMAMURA M.
SANDILANDS G.P. *see* MCGUIRE J.
SARFATI M., NAKAJIMA T., FROST H., KILCCHERR E. & DELESPESSE G. Purification and partial biochemical characterization of IgG-binding factors secreted by a human B lymphoblastoid cell line, 539
SARFATI M. *see* DELESPESSE G.
SASIAIN M. DEL C., DE LA BARRERA S., RUIBAL-ARES B., CARDAMA J.E., GATTI J.C. & DE BRACCO M.M. DE E. Suppressor response in lepromatous leprosy patients: role of Leu 2a cells, 13
SATO M. *see* IKEZAWA Z.
SAUDER D.N. *see* GAULDIE J.
SAUERWEIN R.W. *see* TIEBOUT R.F.
SCOGING A. *see* REES A.D.M.
SEDGWICK J.D. *see* HOLT P.G.
SEWELL H.F. *see* THOMSON A.W.
SHIGETA S. *see* ITO M.
SHIHO O. *see* HINUMA S.
SIMON H.G. *see* SIMON M.M.
SIMON M.M., SIMON H.G., FRUTH U., EPPLEN J., MÜLLER-HERMELINK H.K. & KRAMER M.D. Cloned cytolytic T-effector cells and their malignant variants produce an extracellular matrix degrading trypsin-like serine proteinase, 219
SIRAGANIAN R.P. *see* HATTORI Y.
SMALE C.J. *see* MCCULLOUGH K.C.
SMALL R.M., WALDEN S.M. & EWALD S.J. Effects of Ly-5 antibodies on antibody-dependent cell-mediated cytotoxicity (ADCC), 159
SMITH H. *see* SWEET C.
SNIPPE H. *see* HILGERS L.A.T.
SPAETH P.J. *see* JUNGI T.W.

SPARSHOTT S.M. *see* KIMBER I.
STARKEY P.M., TURLEY L. & GORDON S. The mouse macrophage-specific glycoprotein defined by monoclonal antibody F4/80; characterization, biosynthesis and demonstration of a rat analogue, 117
STEVENS W. *see* GHONEUM M.
STIMSON W.H. *see* CHRISTIE J.F.
STIMSON W.H. *see* GALLAGHER G.
STOKER T.A.M. *see* CHALLACOMBE S.J.
STROBEL S. & FERGUSON A. Persistence of oral tolerance in mice fed ovalbumin is different for humoral and cell-mediated immune responses, 317
STYLES J.M. *see* DUNN P.L.
SULLIVAN D.A. & ALLANSMITH M.R. Hormonal influence on the secretory immune system of the eye: endocrine interactions in the control of IgA and secretory component levels in tears of rats, 337
SWANSON N.R. *see* BARTHOLOMAEUS W.N.
SWEET C., BIRD R.A., JAKEMAN K., COATES D.M. & SMITH H. Production of passive immunity in neonatal ferrets following maternal vaccination with killed influenza A virus vaccines, 83

TALBOT P.J. & BUCHMEIER M.J. Catabolism of homologous murine monoclonal hybridoma IgG antibodies in mice, 485
TANABE F. *see* ITO M.
TARKOWSKI A. *see* JONSSON R.
TAS J. *see* PARMENTIER H.K.
TEPPEMA J.S. *see* PARMENTIER H.K.
THOMSON A.W., MATHIE I.H. & SEWELL H.F. Cyclophosphamide-induced eosinophilia in the rat: concomitant changes in T-cell subsets, B cells and large granular lymphocytes within lymphoid tissues, 383
THOMSON A.W. *see* WEBSTER L.M.
TIEBOUT R.F., SAUERWEIN R.W., VAN DER MEER W.G.J., VAN BOXTEL-OOSTERHOF F. & ZEIJLEMAKER W.P. Requirements for growth of Epstein–Barr virus-transformed cells at low cell densities, 187
TIMENS W., ROZEBOOM T. & POPPEMA S. Fetal and neonatal development of human spleen: an immunohistochemical study, 603
TIMMS A.M. *see* MIRE-SLUIS A.R.
TOSTOWARYK W. *see* GRIFFITHS B.W.
TRIEBEL F. *see* AUTRAN B.
TSOUKAS C. *see* WAINBERG M.A.
TSUKAMOTO K. *see* HINUMA S.
TURLEY L. *see* STARKEY P.M.

ULLRICH S.E. The effect of ultraviolet radiation-induced suppressor cells on T-cell activity, 353

VAREY A.-M., DEAN B.M., WALKER R., BONE A.J., BAIRD J.D. & COOKE A. Immunological responses of the BB rat colony in Edinburgh, 131
VIGUIER M. *see* AUTRAN B.

WAINBERG M.A., PORTNOY J., TSOUKAS C. & GILMORE N. Specific stimulation of lymphocytes from patients with AIDS by herpes simplex virus antigens, 275
WAKELIN D. *see* MOQBEL R.
WALDEN S.M. *see* SMALL R.M.
WALKER L. *see* GORDON J.
WALKER R. *see* VAREY A.-M.
WANG J.M., COLELLA S., ALLAVENA P. & MANTOVANI A. Chemotactic activity of human recombinant granulocyte-macrophage colony-stimulating factor, 439
WARREN D. *see* RAYNER D.C.
WATANABE Y. *see* ITO M.
WATSON D.L. *see* KERLIN R.L.
WEBB A.J. *see* GORDON J.
WEBSTER L.M. & THOMSON A.W. Cyclosporin A prevents suppression of delayed-type hypersensitivity in mice immunized with high-dose sheep erythrocytes, 409
WELLS P.D. *see* MARSHALL J.S.
WICHER K. *see* JAKUBOWSKI A.
WICHER V. *see* JAKUBOWSKI A.
WICKREMASINGHE R.G. *see* MIRE-SLUIS A.R.
WIGZELL H. *see* LINDQVIST C.
WILKINSON P.C. & HIGGINS A. OKT3-activated locomotion of human blood lymphocytes: a phenomenon requiring contact of T cells with Fc receptor-bearing cells, 445
WILLERS M.N. *see* HILGERS L.A.T.
WILSON M. *see* HARVEY W.
WOZENCRAFT A.O. & BLACKWELL J.M. Increased infectivity of stationary-phase promastigotes of *Leishmania donovani*: correlation with enhanced C3 binding capacity and CR3-mediated attachment to host macrophages, 559
WUBBENA A.S. *see* KROESE F.G.M.

YAZDANBAKHSH M., ECKMANN C.M,, DE BOER M. & ROOS D. Purification of eosinophils from normal human blood, preparation of eosinoplasts and characterization of their functional response to various stimuli, 123
YOSHIO T. *see* CLAASSEN E.
YOUNG D. *see* REES A.D.M.
YOUNG D.B. *see* LAMB J.R.

ZANDERS E.D. *see* COCKCROFT S.
ZEIJLEMAKER W.P. *see* TIEBOUT R.F.

Subject Index

Acute-phase proteins:
  stimulation of synthesis by IL-1, 203
Adjuvants:
  synthetic sulpholipopolysaccharides, 141
Adjuvant action:
  of lipopolysaccharides, contribution of mannan O side-chain, 503
Adoptive immunity:
  transfer, 37
AIDS:
  specific stimulation of lymphocytes by HSV antigen, 275
Allogeneic lymphocyte cytotoxicity:
  role of NK cells, 151
Antibody catabolism:
  homologous monoclonal IgG, in mice, 485
Antibody-dependent cellular cytotoxicity:
  effects of anti-Ly-5 antibodies on, 159
Anti-DNA antibodies:
  monoclonal, specificity analysis of, 497
Antigen presentation:
  in brain, 453
  in vivo modulation generates Ts rather than T_{DTH} in HSV-1 infection, 419
Anti-idiotype:
  monoclonal, vaccination with, protects against tumour challenge, 181
Anti-idiotypic antibody:
  T-cell activation by, 389
Anti-thyroglobulin T-cell hybridomas, 231
Appendiceal lymphoid cells:
  human, immunocompetence, 19
Auto-anti-IgE-accelerated loss of nematodes, 303

Babesia microti infection:
  role of B-cell proliferation in spleen enlargement, 57
Basophilic leukaemia cells:
  phosphorylation and activation, 573
BB rat colony:
  immunological responses, 131
B-cell differentiation factor:
  human, secreted by human bladder carcinoma line, 467
  T-24 and human immunoglobulin secretion, 523
B-cell proliferation:
  in *Babesia* infection, 57
B-lymphocyte transformation:
  by EBV, 195

C3 binding:
  correlation with increased infectivity of *L. donovani* stationary-phase promastigotes, 559
CD23:
  triggering of B lymphocytes through, allosteric mechanism of signalling, 517
Chemotactic activity:
  of human recombinant GM-CSF, 439
Chronic lymphocytic leukaemia cells:
  activation by *Branhamella catarrhalis*, 45
Complement components:
  effect of histamine on biosynthesis by mouse peritoneal macrophages, 547
Complement-solubilized immune complexes:
  clearance, 255
Cyclosporin A:
  and delayed-type hypersensitivity reactions, 409
Cytolytic T-effector cells:
  cloned, 219

Dendritic cells:
  priming, and survival of fetal thymus allografts, 593
Diabetes:
  streptozotocin induced, and plasma clearance and tissue localization of immune complexes, 331
Diphtheria toxoid:
  cross-reactive epitopes, 531
DNA polymorphisms:
  associated with HLA-B-like genes, 475

Endotoxin-induced tumour regression:
  need for tumour-sensitized L3T4$^+$ Ly 1$^+$2$^-$ T cells, 367
Eosinophilia:
  cyclophosphamide-induced, lymphocyte subsets in, 383
Eosinophils:
  purification, 123
Eosinoplasts:
  preparation and characterization of functional response, 123
Epstein–Barr virus-transformed cells:
  requirements for growth, 187

Fcγ receptors:
  human, spontaneous release from peripheral blood lymphocytes, 403
Fc receptor modulation:
  by IgG, 261
Fetal thymus allografts:
  survival prevented by priming with dendritic cells, 593
Foot-and-mouth disease virus:
  conformational alteration in virion capsid by monospecific antibody, 75

Germinal centre formation:
  ontogeny in neonatal rat spleen, 597
Granulocyte-macrophage colony-stimulating factor:
  human recombinant, chemotactic activity, 439

Hepatic plasma membrane:
  and liver-specific lipoprotein, 321
Histamine:
  effect on gene expression and synthesis of complement components in mouse peritoneal macrophages, 547
HLA-B-like genes:
  associated with DNA polymorphisms, 475
Hormonal influence:
  on secretory immune system of the eye, 337
HSV-1 infection:
  modulation of antigen presentation generates Ts rather than T_{DTH}, 419

iC3b:
  characteristics of, binding to human polymorphonuclear leucocytes, 553
IgE-binding factors:
  in vitro production by human mononuclear cells, 103
  purification and partial biochemical characterization, 539
IgE production:
  effect of transplanted cultured thymic fragments, 91
IgE suppression:
  by antigen inhalation, 97

IgG catabolism:
homologous monoclonal, in mice, 485
IL-2 production:
blocked by monoclonal antibody, 579
Immune complexes:
complement-solubilized, clearance, 255
plasma clearance and tissue localization in diabetic rats, 331
Immunodiffusion reactions:
of monoclonal antibody mixtures, role of isotype and epitope specificity, 491
Immunoglobulin A:
in portal and peripheral venous blood, 111
Immunohistology of human fetal spleen, 603
Immunomodulation:
with liposomes with entrapped dichloromethylene-diphosphonate and surface-associated antigen or hapten, 509
Inositol lipid metabolism:
activated via T3 complex, 209
Interferon:
effect on inhibition of human NK, 167
effects on lymphocyte recirculation, 585
human gamma, enhancement of B-cell response to *S. aureus*, 51
Interferon-α:
and enhanced production of leukotriene B_4 in stimulated macrophages, 617
Interleukin-1:
stimulation of acute-phase protein synthesis, 203
Interleukin-1-like activity:
in capsular material from *Haemophilus actinomycetemcomitans*, 415
Interleukin-2:
recombinant human, suppression of tumour metastasis, 173

Japanese encephalitis virus:
induction of secondary immune response by reactivated virus, 481
latent, memory suppressor T cells, 71

Killer cells:
lymphokine activation, does not require DNA synthesis, 471

L3T4 antigen:
role in Con A response of regenerating splenic $L3T4^+$ T cells after cyclophosphamide, 375
Leishmania donovani:
increased infectivity correlated with enhanced C3 binding and CR3-mediated attachment to macrophages, 559
Lepromatous leprosy:
suppressor response, 13
Leukotriene B_4:
enhanced production, by interferon-α, 617
Leukotrienes:
release during expulsion of *Trichinella spiralis*, 425
Liposomes:
with entrapped dichloromethylene-diphosphonate and surface-associated antigen or hapten, immunomodulation with, 509
Listeriosis:
role of $L3T4^+$ and Lyt 2^+, 287
Liver-specific lipoprotein:
and hepatic plasma membrane, 321
Locomotion:
OKT3 activation of lymphocytes, need for contact of T cells with Fc receptor-bearing cells, 445
Lymphocyte recirculation:
effects of interferon, 585
Lymphocyte subsets:
in cyclophosphamide-induced eosinophilia, 383
Lymphotoxin:
produced by a T-cell hybridoma, 213

Macrophage antibody-dependent endocytosis:
inhibition by *p*-chloromercuribezenesulphonic acid, 269
Macrophage-specific glycoprotein:
mouse, 117
Mannan:
contribution to adjuvant action of lipoplysaccharides, 503
Mast cell:
granule proteinases, phenotypic analysis, 147
Mast cell precursors:
effect of *T. spiralis* infection on distribution, 565
Membrane attack complex:
induction of permeability changes, 135
MHC induction on brain endothelium and astrocytes, 453
Mixed leucocyte reaction:
Theileria, influence of monocytes and phenotype of stimulator cell, 63
Monoclonal antibodies:
immunodiffusion reactions, role of isotype and epitope specificity, 491
Monoclonal antibody inhibiting leucocyte adhesion blocks IL-2 production not IL-2 receptor expression, 579
MRL/1 mice:
sialadenitis, 611

Natural killer cells:
human, effect of interferons on, 167
role in allogeneic lymphocyte cytotoxicity, 151
Natural killer cell activity:
susceptibility to stress, 461
Nematodes:
N. brasiliensis, accelerated loss following auto-anti-IgE induction, 303
Neutrophil stimulation:
by mononuclear leucocyte-conditioned medium, 431

Oral tolerance:
persistence of, in humoral and cellular responses, 317

Passive immunity:
in neonatal ferrets following maternal vaccination with killed influenza A virus, 83
Peptidases:
in lymphoid tissues, 247
Phosphorylation:
and activation of basophilic leukaemia cells, 573
Porcine T-lymphocyte subsets, 395

Reserpine:
influence on *in vivo* localization of lymph node cells, 239

Secretory immune system:
of the eye, hormonal influence, 337
Sialadenitis:
in MRL/1 mice, 611
Spleen:
human, fetal and neonatal development, 603
Staphylococcus aureus:
secondary immune responses to, in sheep, 295
Stress:
effect on NK cell activity, 461
Suppression:
in lepromatous leprosy patients, 13
Suppressor cells:
in bone marrow chimaeras, 29
UV-induced, effect on T-cell activity, 353
Suppressor T cells:
memory in latant Japanese encephalitis virus infection, 71

T3 complex:
activation in inositol lipid metabolism, 209
T cells:
tumour-sensitized, for endotoxin-induced tumour regression, 367
T-cell activation:
by anti-idiotypic antibody, 389
T-cell clones:
human, use in identification of T-cell epitopes in *M. tuberculosis*, 1
T-cell epitopes:
in *M. tuberculosis*, using T-cell clones, 1
T-cell hybridomas:
specific for self and foreign thyroglobulins, 231

T-lymphocyte proliferation:
human, 7
T-lymphocyte subsets:
in porcine lymphoid tissue, 395
Trichinella spiralis:
release of leukotrienes during rapid expulsion, 425
Trypanosoma cruzi:
suppression of human lymphocyte responses, 309
Tryponemal antigens:
natural antibodies to, 281
T-suppressor cell clone:
isolation and functions *in vitro*, 345
Tumour necrosis factor:
produced by a T-cell hybridoma, 213
Tumour-specific CTL:
augmented production associated with *C. parvum* tumour regression, 361

Ultraviolet radiation-induced suppressor cells:
effect on T-cell activity, 353